

남일벨트시스템

하바지트(Habasit) 제품 카탈로그

베이커리 산업 컨베이어 벨트

제품 개요

제과-제빵 공정에 특화된 컨베이어 벨트 종합 가이드입니다. 반죽 이송부터 오븐 컨베이어까지 전 공정을 커버합니다.

주요 특징

- 반죽 이송·성형·발효·베이킹 전 공정 대응
- 비접착성 표면 처리
- 내열성·내유성 벨트
- 위생적이고 청소가 용이한 설계

남일벨트시스템 (Namil Belt System) | 하바지트(Habasit) 공식 파트너

대표: 홍중수 | 사업자등록번호: 268-06-02265 | 서울시 동대문구 한천로2길 16, 212호(덕암빌딩)

전화: 02-6084-7795 | 이메일: namilsystem@naver.com | 홈페이지: namilbeltsystem.github.io

Bakery Industry

Conveyor and Processing Belts



Always the right solution	3
Process overview	4
HabaFLOW® fabric-based conveyor belts	7
Habasit rotary molder belts	10
HabasitLINK® plastic modular belts	11
HabaCHAIN® slat and conveyor chains	12
Habiblu round belts	13
Habasit® Cleandrive positive drive belts	14
HabaSYNC® timing belts	15
Habasit® Cleanline Generation II	16
Solutions in motion	18
Contacts	20



Innovation is a key word at Habasit

Habasit has developed an extensive variety of solutions that allow customers to choose the best product for their application.

Special focus of all developments is on the increasing hygiene standards within the food industry. Habasit offers products that comply with all relevant direct food contact regulations and guarantee trouble-free and safe food production. Beyond this, Habasit has introduced unique products for the bakery industry, for example **Habasit® Cleanline** food belts coated with a modified polyolefin and **HySAN®**, high oil and fat resistant PVC coated belts. The new **Habasit® Cleanline Generation II** features a further improved polyolefin coating with better wear resistance allowing increased service life and belt performance. Special features offer the **TPU non-fray and frayless** belts, which minimize the risk of fiber contamination due to their specific fabric construction.

The new **Habasit rotary molder** belts represent another dedicated solution for the bakery industry.

The extruded positive driven **Habasit® Cleandrive** belts enable performance and hygiene upgrades.

Additional products like **HabasitLINK®** plastic modular belts, **HabaCHAIN®** plastic chains, **HabaSYNC®** timing belts, Silicone coated belts, and accessories like cleats, edge-sealing profiles and side-walls complete the range.

Habasit is the only belt supplier to manufacture and offer the full package of fabric-based and plastic modular belts.

More than 60 years of experience

With a comprehensive global network, Habasit is able to respond to any request that you may have with nothing less than an outstanding belting solution of highest quality, tailored to your specific needs.

Focus on bakery and biscuit processing


Whether handling dough, cooling baked products, molding, cutting or packaging, Habasit offers a complete product range for the bakery, biscuit and snack processing industry.

This includes all kinds of fabric belts and modular belts with different surface finish.

Habasit is able to provide dedicated spiral belts for proofing, cooling and freezing. This includes belts for new systems as well as retrofits.




Hearth bread processing




- 1 Dough loader
- 2 Dough divider
- 3 Molder, rounder
- 4 Feeding belt
- 5 Linear Proofer

Bread and bun processing



- 1 Dough divider/rounder
- 2 Spreader conveyor belt
- 3 Linear proofer
- 4 Spiral proofer
- 5 Forming station
- 6 Molder station
- 7 Transfer conveyor belt

Biscuits and crackers manufacturing




- 1 Dough feeder/hopper
- 2 Dough sheeter
- 3 Gauge roll
- 4 Functional belt
- 5 Rotary cutter
- 6 Scrap return
- 7 Cooling belt

Rotary molder




- 1 Dough hopper
- 2 Rotary molder belt

Puff pastry dough processing



- | | | |
|-----------------------|-----------------------|---------------------------|
| 1 Dough sheeter | 4 Folding station | 7 Scrap return |
| 2 Shortening extruder | 5 Guillotine cutter | 8 Crossroller |
| 3 Curling roller | 6 Dough conveyor belt | 9 Reversing conveyor belt |

Flatbread line



- | | |
|-----------------|--------------------------|
| 1 Dough divider | 4 Linear proofer |
| 2 Preproofer | 5 Transfer conveyor belt |
| 3 Cutter | |

The right belt for every application

Habasit's conveyor belt selection includes hundreds of different belts to satisfy application requirements that range from straight-inclined or declined operations, to accumulation and diverters, to swan neck (Z) conveyors, and numerous others. We offer a wide variety of fabrics and cover materials, as well as structural conveying- and running-side patterns to optimize your system's performance.

Belt materials

The materials and designs are selected to cope with a broad range of application requirements, including resistance to wear or chemical agents, excellent release of sticky goods, and to high or low temperatures.

Belt design

Habasit HabaFLOW® conveyor and processing belts are generally made of different layers, with tensile strength provided by synthetic fabric plies. These fabrics are connected by layers of thermoplastic materials. The material, thickness and texture of the conveying side depend on the function of the belt.


Cover coatings are mainly made of thermoplastic materials like TPU, TPO, PVC, Silicone, and elastomers – or feature a fabric surface. The running side is usually a fabric, often impregnated with a thermoplastic material, or with special wear-resistant PUR that provides a low and constant coefficient of friction. There are also pulley-side fabrics characterized by special low-noise running capabilities.

Many accessories


Guides, cleats and side walls, as well as edge sealing are common fabrication measures applied to conveyor and processing belts. While V-shaped profiles are mostly attached to the running side as guides, various cleat designs can be welded or bonded to the conveying side to ensure proper horizontal or inclined transport. Side walls positioned close to the edges of the belt stop loose goods falling off. Edge sealing is a measure to improve the hygienic design of a coated food conveyor belt.

Surface structure


A well-designed belt surface supports both the secure transport of the goods conveyed as well as the process where the belt is employed. Careful selection is essential in order to find the right belt for each conveying or processing application. The belt surface plays a key role in meeting each specific process step or function.




Selection of surface structures




Fabric-based belts

	Key features	Your benefits
	<ul style="list-style-type: none"> • Wide range of surface types, structures, belt strengths and special features available 	<ul style="list-style-type: none"> • Selection of the most suitable belt for specific applications like feeding, accumulation, releasing, metal detection, check weighing, etc.
	<ul style="list-style-type: none"> • Full compliance with food regulations such as FDA and USDA (US), EU Directive (Europe), etc. 	<ul style="list-style-type: none"> • Comply with food safety regulations, especially for processing and packaging of sensitive goods
	<ul style="list-style-type: none"> • Excellent adoptability of special fabrications such as profiles, side walls, marking, tracking guide, edge sealing, etc. 	<ul style="list-style-type: none"> • Meet the technical requirements for applications like pick and place • Proper belt tracking • No stringing prevents contamination


TPU coated belts

	Key features	Your benefits
	<ul style="list-style-type: none"> • Abrasion and temperature resistant coatings 	<ul style="list-style-type: none"> • Reliable performance • Long belt service life • Able to handle elevated temperatures (100° C)
	<ul style="list-style-type: none"> • Good chemical resistance 	<ul style="list-style-type: none"> • Ability to clean with common food contact surface detergents
	<ul style="list-style-type: none"> • Homogeneous surfaces due to calander-coating technology 	<ul style="list-style-type: none"> • Improved hygiene conditions • Good release of goods


TPO coated belts

	Key features	Your benefits
	<ul style="list-style-type: none"> • Non-polar surface 	<ul style="list-style-type: none"> • Excellent release of sticky products • Reduced waste in production • Yield increase
	<ul style="list-style-type: none"> • Excellent chemical resistance 	<ul style="list-style-type: none"> • Increased lifetime in applications that require frequent cleaning
	<ul style="list-style-type: none"> • Unique belt carcass made of spun and knitted fabric 	<ul style="list-style-type: none"> • Reduced mechanical shrinkage – long and reliable service life • Wear resistant edges – reduced fraying tendency


PVC coated belts

	Key features	Your benefits
	<ul style="list-style-type: none"> • Wide range of surface types, structures and belt strengths available 	<ul style="list-style-type: none"> • Selection of the most suitable belt for specific applications like feeding, accumulation, general conveying, etc.
	<ul style="list-style-type: none"> • Stable modulus of elasticity after running-in 	<ul style="list-style-type: none"> • No re-tensioning required and reduced downtime possible, leading to easy maintenance
	<ul style="list-style-type: none"> • Permanently antistatic belts available 	<ul style="list-style-type: none"> • No interference with electronic devices • Less dust and dirt attraction • Process reliability

Silicone coated belts

	Key features	Your benefits
	<ul style="list-style-type: none"> • Easy release property of silicone-coated conveying side of the belt 	<ul style="list-style-type: none"> • Easy release of delicate products and contaminated sticky residues from the belt, such as hot melt adhesive for flap sealing and labelling of cartons
	<ul style="list-style-type: none"> • Excellent high- and low-temperature resistance 	<ul style="list-style-type: none"> • Suitable for high-temperature film packing applications such as overwrapping, shrink packaging, hot melt adhesive applications, etc.
	<ul style="list-style-type: none"> • Full compliance with food regulations for the selected belts such as FDA and USDA (US), EU Directive (Europe), etc. 	<ul style="list-style-type: none"> • Maintains the food safety required, especially for food packaging applications when necessary

The HRM (Habasit rotary molder) belts are in use at a wide array of biscuit manufacturers, featuring any kind of dough – from dry speculaas over Danish butter cookies and Scottish shortbread to Mediterranean Frollini.



Rotary molding is a key process in shaping biscuits

Engraved rollers are used to shape biscuits from dough. The rotary molder belt (also called the extraction web or brayband) extracts the raw biscuits from this roller supported by the forces of the extraction roller driving the belt.

Tight transfer to the next processing belt ensures biscuit shape integrity. A seamless belt is preferred over products with a join in order to achieve uniform extraction and continuous biscuit molding quality.

Common weave patterns

Seamless belts used in rotary molding are offered in three common weave patterns:

- Plain Weave – the versatile solution for most biscuits
- Herringbone Weave – the ultimate solution for most short and heavy doughs with demanding extraction needs
- Cross Twill Weave – an enlarged surface to handle larger biscuits or dough with a higher fat or moisture content



Natural fibers such as cotton are standard materials due to their excellent extraction behavior, based on the absorption of fat and moisture from the biscuit dough.

To improve service life Habasit rotary molder belts are made not only using cotton, but also with polyamide and linen fibers to add wear resistance and lateral stability to the extraction and release properties of cotton.



Key advantages of Habasit rotary molder belts

- Precise dense weaving provides uniform extraction over the entire surface
- The endless woven design with selvage belt edges delivers excellent tracking and strong protection against belt edge wear without compromising the extraction behavior of the belt edge

Rotary molder belts



Key features	Your benefits
<ul style="list-style-type: none"> • Truly endless (mechanical) woven • Various weaving combinations 	<ul style="list-style-type: none"> • Tight fabric surfaces • Right belt design for specific dough • Long lifetime and reliable extraction
<ul style="list-style-type: none"> • Selvage edges 	<ul style="list-style-type: none"> • Durable belt design • Reduced risk of product contamination

Advantageous in numerous applications

The modular belt is an aggregation of individual plastic modules made by high-precision injection molding and connected by lateral rods. Its robust design is optimized for efficient conveying and easy cleaning procedures.

Plastic modular belts eliminate the need for high-tension systems by positively engaging the sprocket with the running belt and maintaining proper belt tracking. They are widely used in many industries, where their specific product features provide numerous benefits to our customers.

Materials


Habasit modular belts are available with a variety of state-of-the-art features, including special materials for: low friction, self-lubrication, chemical resistance, food-approved materials, as well as with antistatic, flame retardant, magnetic, detectable, electrically conductive, submersible, anti-microbial, special-impact, cut-resistant, high-temperature, and super high-temperature properties.

Sprockets and rods

Injection-molded sprockets have a specific open design that allows easy access for cleaning across the width of the conveyor shafts. Wear-resistant materials secure a long lifetime in all applications. The full-width rods ensure belt connection and lateral stiffness. HabasitLINK® modular belts come with two rod solutions, depending on the belt type: Smart Fit and Snap Fit.

Accessories

Habasit offers a wide range of modular belt accessories including cleats, flights, scoops, side guards, finger transfer plates, and hold-down tabs for elevators with back bending (Z-conveyors), as well as HabiPLAST™ guide rails.




Selection of surface structures



Flat Top



Radius Flush Grid



Flush Grid




Micropitch Flat Top



Micropitch Flush Grid



Micropitch Diamont Top



Key features

- Assembled in a brick-layered pattern connected with solid plastic rods
- Positive drive and tracking system by engaging the belt with sprockets
- Various types of materials available
- Quick installation and easy maintenance

Your benefits

- High flexibility in terms of width and length, with lateral strength
- Accessories such as flights, scoops and side walls can be placed as required
- No need for high tensioning systems; maintains proper belt tracking alignment
- Belts for elevated temperature, proofing, cooling, freezing and for spiral systems
- Good release and yield increase
- Easy belt installation and maintenance with minimum downtime



Designed, produced, and serviced by the worldwide leader in belting, the HabaCHAIN® range offers top-class innovation and quality combined with excellent reliability and cost-efficiency. HabaCHAIN® products are available in both straight-running and radius/side-flexing versions, and run on most systems and sprockets on the market today. They are fully compatible with industry standards, making them ideal for retrofitting.

The chain elements are high-precision injection-molded single plastic parts linked to each other with pins. These run engaged over sprockets and idlers on profile guides. Selected chain elements are available in stainless steel.



Accessories

The accessories range includes: inserts to increase friction between product and chain, “bakery bends” for smooth lateral product transfer, stainless steel attachments, extended pins or half-round pushers, and much more.



Key features	Your benefits
<ul style="list-style-type: none"> • High tensile strength 	<ul style="list-style-type: none"> • Reduces downtime while maximizing conveyor layout
<ul style="list-style-type: none"> • Low-friction material available 	<ul style="list-style-type: none"> • Excellent for high-speed applications on various packaging machines
<ul style="list-style-type: none"> • Bevel edges and high-friction inserts 	<ul style="list-style-type: none"> • Product stability over multiple strand conveying, enabling unique product conveying solutions
<ul style="list-style-type: none"> • Wide range of specialty materials available 	<ul style="list-style-type: none"> • Coverage for all food and packaging application requirements

Habasit round belts are highly flexible, directionally adjustable, and multi-directional for angular gears. They can be used for both conveying and driving applications. As a result of their elasticity, round belts can be installed without a tensioning device. This allows compact machine designs. In addition, the elasticity acts as a security element by reducing shocks in case of brief overloads.

Round belts are highly resilient and their physical and chemical characteristics are exceptional in many areas: their resistance to hydrolysis is significantly superior to that of most existing polyurethane elastomers. As a result, Habasit round belts are resistant to water, oils, grease and benzene.




	Key features	Your benefits
	<ul style="list-style-type: none"> • Excellent abrasion resistance and constant coefficient of friction 	<ul style="list-style-type: none"> • Good for gentle handling of the conveyed products required by many packaging machines
	<ul style="list-style-type: none"> • Smooth surface of the belt 	<ul style="list-style-type: none"> • Easy release of wrapping materials such as plastic film and foil, avoiding wrapping material sticking to the belt
	<ul style="list-style-type: none"> • Excellent oil resistance 	<ul style="list-style-type: none"> • Good for continuous use of the belt even when oily foodstuffs such as meat and poultry are conveyed for packaging
	<ul style="list-style-type: none"> • Simple, fast and adhesive-free joining method (quick melt) 	<ul style="list-style-type: none"> • Easy handling of belt replacement without disassembling the packaging machine, enabling machine downtime to be dramatically reduced



While belts play a key role in many production processes, in the food industry, the hygiene properties of the belts used are absolutely crucial. For specific applications in hygiene-sensitive areas, Habasit has developed a brand new belt concept: the Habasit® Cleandrive conveyor and processing belt.

Habasit® Cleandrive features a totally smooth conveying surface combined with a reverse side structure of lateral drive bars, which provide a positive fit to the sprockets.

High-quality thermoplastic material permits use in aggressive cleaning areas, while the closed surface minimizes the accumulation of waste and debris on the reverse side. Longitudinal reinforcement using high-tech cords ensures a long-term belt stability in the application. The positive engagement of Habasit® Cleandrive allows an energy-saving conveyor design, similar to plastic modular belt conveyors.



Key features	Your benefits
<ul style="list-style-type: none"> • High-tech fiber as tensile member 	<ul style="list-style-type: none"> • No belt creep at load • Constant belt dimensions • Good tracking behavior
<ul style="list-style-type: none"> • Homogeneous, closed and smooth surface 	<ul style="list-style-type: none"> • No traps or hinges to clamp product • Very easy and fast cleaning • Good product release • Increased yield and efficiency
<ul style="list-style-type: none"> • Good chemical resistance of thermoplastic material 	<ul style="list-style-type: none"> • Cleaning agents cannot affect belt material • Reduced hygiene risks • Increased lifetime

The demand for synchronized conveying has grown significantly over the past two decades. As machines moved faster and precision output became a greater engineering challenge, it was obvious that no conveying solutions existed to reliably and cost-effectively meet customers' needs.

Profiles and tracking guides

Profiles, added with thermal-bonding processes or mechanical attachment, allow unique positioning and adjustment. Thermoplastic profiles are made in several ways: extrusion, injection molding or machining. The choice of profile sourcing depends on the shapes, dimensions and quantities required.

Covers

Habasit offers a broad selection of covers for our HabaSYNC® timing belts. Covers provide the friction needed to handle products so that they are correctly indexed and securely and effectively managed. Our covers are designed to cope with a wide variety of requirements and can thus guarantee reliable conveyance in every type of transport function and manufacturing application.

Selection of food approved covers



FAC-W / FAC-C

FAS / FAS-C


FAW / FAW-C



FAF

FSB-C

N5 Cone Top




Key features	Your benefits
<ul style="list-style-type: none"> • All pitches designed for precise synchronous conveying and linear movement 	<ul style="list-style-type: none"> • Suitable for applications where exact positioning is required in the packaging machine
<ul style="list-style-type: none"> • Selection of special fabrications such as covers, profiles, tracking guides, machining modifications, etc. 	<ul style="list-style-type: none"> • Enables highly custom-engineered timing belts according to specific requirements
<ul style="list-style-type: none"> • Ease of on-site joining by specially designed joining press machine and hinge joint system 	<ul style="list-style-type: none"> • Enables belt installation and replacement without disassembling the packaging machines, leading to reduced downtimes and costs

TPO-coated conveyor belts offer excellent release properties, and Habasit® Cleanline belts have been known for this since their introduction. The belts also offer very good flexibility, and were the first TPO-coated food belts with nosebar suitability. However, it became clear that over time, the belt surface quality suffered due to abrasion caused by hard particles or mechanical cleaning processes.

To address this issue, Habasit has modified the coating material used on Habasit® Cleanline Generation II belts, which now feature substantially improved wear resistance properties.

Wear resistance test




The new surface quality keeps the release properties unchanged for a longer period of use, thus reducing the need for harsh cleaning methods. This is important because cleaning contributes greatly to premature wear of the belt surface – the key reason for losing release properties, requiring as a result more intense cleaning.

As the test above is only indicative, Habasit extended it to a test of cleaning the belt surface with scrapers, cleaning very abrasive material from the belt surface.

The test confirms:

- Substantial improvement compared to Habasit® Cleanline first generation and other TPO coated belts
- Surface wear resistance exceeding the durability of products with TPU / silicone blend as used also for good release and good surface wear
- Testing against a silicone surface was not possible due to short wear resistance of silicone in the environment

Scraper test



Test description:

Salted goods can be particularly aggressive on the surface of conveyor belts. In order to observe the improvement of the Habasit® Cleanline Generation II the original Habasit® Cleanline formulation and the 2nd generation was tested for over 100 hours continuous operation running using a TPU scraper with rock salt on the surface of the belts.

After 100 hours significant damage to the CNB-6EB original Habasit® Cleanline material was visible, whereas no damage to the Habasit® Cleanline Generation II was observed after the same period. After continuing the test for a further 60 hours no evidence of damage by the scraper or salt on the belt was observed.

As a result of these tests it can be recommended that if the use of a scraper is desired then a TPU scraper can be considered.

The use of steel scrapers with a Habasit® Cleanline belt is not recommended – wear resistance is not performing enough.

Key features	Your benefits
• Improved abrasion resistance	• Suitable for hard or abrasive goods
• Outstanding release properties	• Ideal for very sticky goods
• Excellent surface quality	• No residues from transported products
• Superb chemical resistance	• Comparable to food industry stainless steel surfaces
• Exceptionally easy to clean	• Withstands chlorine for disinfection
• Wide operating temperature range	• Resists acidic and alkaline cleaning agents
• Hydrolysis resistance	• Resistant to 90 °C hot water
• Nosebar suitable	• Excellent dirt release
• Wear-resistant belt edges	• Wide application range from -40 up to 80 °C
• Tight-knitted bottom fabric	• Suitable for warm and damp environments
• Edge sealable	• Permits smooth transfer of small products
	• Reduces fraying risk of fibres
	• Reduces risk of particle ingress and mechanical shrinkage of belt, leading to longer belt life
	• Prevents swelling of tensile layer and belt delamination

Customers first

Your success is our goal. That is why we don't just offer products; we provide solutions. As committed partners to our customers, we are dedicated to sharing our knowledge and providing full support.

Since our founding in 1946, Habasit has been finding ways to meet customer-specific needs in every application. This is what differentiates us as the #1 worldwide belting provider in the industry today.



Comprehensive consulting and technical support

Profit from the best consulting and technical support in the lightweight belting industry. Local experts are always available to assist you with your belting needs. The Habasit team is proud to provide the highest level of support, together with top-quality products that have led the global market for decades.



Belt selection and calculation assistance

We are always glad to help you select the most suitable belt for any application for your convenience. We now also provide the free online tool 'SeleCalc' which allows you to easily make selections and calculations yourself. Simply register online at selecalc.habasit.com.



Fabrication, assembly and local installation services

As a full-service belting provider, we offer joining and assembly services either at our own locations or directly on your equipment.

Habasit has over 30 affiliates worldwide, each with its own inventory, fabrication, assembly and service facilities.




Together with representative offices and numerous qualified distributors, we can react quickly and efficiently to meet all your needs.



Customer training programs

To ensure the optimal performance and maximum lifespan of all our products, we offer training programs and various support tools. This includes proper procedures for fabrication, installation, assembly, maintenance and belt repair, all of which take place at a Habasit site or at your location.



Belt monitoring, inspections, analyses and process optimization proposals

We organize and handle belt maintenance, inspections, analyses and surveys at customers' sites. Upon request, we are ready to develop optimization proposals to ensure you're getting maximum value from your machinery and process output.



Design assistance for customized solutions

Habasit believes in building partnerships with our customers. Our engineering team will work closely with your engineers on joint design developments from initial design to final implementation. This expert service can be invaluable for projects involving new technologies or large-scale modifications and adaptations.



Committed to innovation

Because our customers' belting challenges and needs are always changing, we consistently invest a substantial amount of labor and resources into the research and development of new products and solutions.

Certified for quality

We deliver the highest quality standards not only in our products and solutions, but also in our employees' daily work processes. Habasit AG is certified according to ISO 9001:2015.



Worldwide leading product range


Habasit offers the largest selection of belting, conveying, processing and complementary products in the industry. Our response to any request is nothing less than a specific, tailor-made solution.



HabaFLOW®
Fabric-based conveyor and processing belts



HabasitLINK®
Plastic modular belts



Habasit® Cleandrive
Monolithic reinforced conveyor belts



HabaDRIVE®
Power transmission belts




HabaSYNC®
Timing belts



HabasitCHAIN®
Chains (slat and conveyor chains)



Machine tapes



Round belts



Seamless belts



HabiPLAST
Profiles, Guides, Wear strips



Accessories
(sprockets, flights, welding profiles, etc.)



Fabrication tools
(joining, cutting & preparing devices)

Australia

Habasit Australia Pty Ltd.
Silverwater, Sydney
Phone: +61 1300 945 455
www.habasit.com.au

Austria

Habasit GmbH, Wiener Neudorf
Phone: +43 1 690 66
www.habasit.at

Belgium & Luxembourg

Habasit Belgium N.V., Zaventem
Phone: +32 27 250 430
www.habasit.be | habasit.lu

Brazil

Habasit do Brasil, Barueri - SP
Phone: +55 11 4789 9022
www.habasit.com.br

Canada

Habasit Canada Ltd., Oakville
Phone: +1 905 827 41 31
www.habasit.ca

China

Habasit East Asia Ltd.
Fotan, Shatin, N.T., Hong Kong
Phone: +852 2145 0150
www.habasit.com.hk

Habasit (Shanghai) Co. Ltd.
Shanghai
Phone: +8621 5488 1218
www.habasit.com.cn

France

Habasit France SAS, Mulhouse
Phone: +33 3 89 33 89 03
www.habasit.fr

Germany

Habasit GmbH, Eppertshausen
Phone: +49 6071 969 0
www.habasit.de

India

Habasit India, Coimbatore
Phone: +91 422 666 78 00
www.habasit.in

Italy

Habasit Italiana SpA
Customer Care: 0438 911333
For int. calls: +39 0438 911444
www.habasit.it

Japan

Habasit Nippon Co., Ltd., Tokyo
Phone: +81 120 07 6339
www.habasit.co.jp

Korea (Republic of)

Habasit Korea Ltd., Seongnam
Phone: +82 31 737 9370
www.habasit.co.kr

Mexico

Habasit Rocua, Zapopan
Phone: +52 33 3824 2358
www.habasitrocu.mx

Netherlands

Habasit Netherlands BV, Nijkerk
Phone: +31 332 472 030
www.habasit.nl

New Zealand

Habasit New Zealand Pty Ltd.
Auckland
Phone: 0800 000 070
www.habasit.co.nz

Nordic countries

Habasit AB, Hindås, Sweden
Phone: +46 301 226 00
www.habasit.se

Poland

Habasit Polska Sp. z o.o.
Dąbrowa Górnicza
Phone: +48 32 639 02 40
www.habasit.pl

Russia

OOO Habasit Ltd.
Moscow Region
Phone: +7 495 966 1566
www.habasit.ru

Singapore

Habasit Far East Pte Ltd.
Singapore
Phone: +65 6862 5566
www.habasit.com.sg

South Africa

Habasit South Africa Pty Ltd.
Gauteng
Phone: +27 10 001 6770
www.habasit.co.za

Spain

Habasit Hispánica S.A.
Barberá del Vallés
Phone: +34 937 191 912
www.habasit.es

Switzerland

Habasit GmbH, Reinach
Phone: +41 61 577 51 00
www.habasit.ch

Taiwan

Habasit (Taiwan) Ltd.
New Taipei City
Phone: +886 2 2267 0538
www.habasit.com.tw

Turkey

Habasit Kayis San.
Ve Tic. Ltd. Sti., Istanbul
Phone: +90 444 70 43
www.habasit.com.tr

Ukraine

Habasit Ukraine LLC., Kyiv
Phone: +38 044 290 88 99
www.habasit.ua

United Kingdom & Ireland

Habasit UK Ltd., Elland
Phone: +44 333 207 6570
www.habasit.co.uk

USA

Habasit America
Suwanee, Georgia
Phone: +1 800 458 6431
www.habasitamerica.com

Habasit International AG

Römerstrasse 1
CH-4153 Reinach, Switzerland
Phone +41 61 715 15 15
Fax +41 61 715 15 55
www.habasit.com

Registered trademarks
Copyright Habasit International AG
Subject to alterations
2005BRO.FOD-en0818HQR